

MOBLIGHTS

MARINE TECHNOLOGIES

2026 MARINE COLLECTION

Make light part of the vessel.

Marine lighting and equipment solutions made in Türkiye, from underwater zones to living spaces.

MOBLIGHTSMARINE.COM

The right product and application, before spectacular promises.

Developed and manufactured in Türkiye.

MOBLIGHTS develops underwater, interior, work-area and equipment solutions for boats and yachts. Product selection is based on technical values, installation conditions and real operating needs.

15+

YEARS OF MARINE EXPERIENCE

10-30 V

MARINE ELECTRICAL READY

IP54-68

APPLICATION-SPECIFIC PROTECTION

Pricing and product guidance

Scan the QR code for a current quotation for your product, colour, size and quantity.



Catalogue contents

13 product groups · 79 products / model variants

01	Underwater Series 8 products / model variants	04
02	Engine Room 4 products / model variants	09
03	Recessed Spotlights 4 products / model variants	12
04	Surface Spotlights 2 products / model variants	15
05	Downlights 6 products / model variants	17
06	Step Lights 2 products / model variants	21
07	Floodlights 7 products / model variants	23
08	Marine Furniture 11 products / model variants	28
09	G4 LED Boards 6 products / model variants	35
10	Control and Electronics 6 products / model variants	39
11	Plastic Fittings 5 products / model variants	43
12	Hobs 7 products / model variants	47
13	Sinks and Taps 11 products / model variants	52

Measurable performance below the waterline.

Choose the right model by power, body construction and vessel size.

01



UNDERWATER SERIES

A-3 Star12

Applications: Boat, yacht**Operating voltage:** 10-32 V DC**Light source:** SMD Power Led**Power:** 18 W**Weight:** 440 GR**Dimensions:** 20 x 135 mm**Housing material:** Polycarbonate**Mounting drill diameter:** 10 mm**LED service life:** 20.000 hours**Lens angle:** 35 degrees**Colour:** BLUE & WHITE & GREEN**Recommended spacing:** 80 cm - 100 cm**Cable:** 2x0,75 Marine cable**lumens:** 3150**Usage note:** Designed for underwater use only.**COLOURS / OPTIONS**

BLUE; WHITE; GREEN; RED

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

02



UNDERWATER SERIES

A-3 Pro12

RGB CONTROLLER SOLD SEPARATELY

Applications: Boat, yacht**Operating voltage:** 10-32 V DC**Light source:** SMD Power Led**Power:** 60 W**Weight:** 1700 GR**Dimensions:** 20 x 150 mm**Housing material:** Brass**Mounting drill diameter:** 15 mm**LED service life:** 20.000 hours**Lens angle:** 35 degrees**Colour:** BLUE & WHITE & GREEN**Recommended spacing:** 80 cm - 100 cm**Cable:** 2x0,75 Marine cable**lumens:** 9000**Usage note:** Designed for underwater use only.**COLOURS / OPTIONS**

BLUE; WHITE; 12V RGB; 24V RGB

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

03



UNDERWATER SERIES

A-3 Maxi

Applications: Boat, yacht

Operating voltage: 10-32 V DC

Light source: SMD Power Led

Power: 18 W

Weight: 270 GR

Dimensions: 20 x 60 x 235 mm

Housing material: Polycarbonate

Mounting drill diameter: 10 mm

LED service life: 20.000 hours

Lens angle: 35 degrees

Colour: BLUE & WHITE & GREEN

Recommended spacing: 80 cm - 100 cm

Cable: 2x0,75 Marine cable

lumens: 3150

Usage note: Designed for underwater use only.

COLOURS / OPTIONS

BLUE; WHITE; GREEN; BLUE/WHITE; BLUE/GREEN

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

04



UNDERWATER SERIES

A-3 Star9

Applications: Boat, yacht

Operating voltage: 10-32 V DC

Light source: SMD Power Led

Power: 14 W

Weight: 315 GR

Dimensions: 20 x 120 mm

Housing material: Polycarbonate

Mounting drill diameter: 10 mm

LED service life: 20.000 hours

Lens angle: 35 degrees

Colour: BLUE & WHITE & GREEN

Recommended spacing: 80 cm - 100 cm

Cable: 2x0,75 Marine cable

lumens: 2450

Usage note: Designed for underwater use only.

COLOURS / OPTIONS

BLUE; WHITE; GREEN

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

05



UNDERWATER SERIES

A-3 Pro9

RGB CONTROLLER SOLD SEPARATELY

Applications: Boat, yacht

Operating voltage: 10-32 V DC

Light source: SMD Power Led

Power: 45 W

Weight: 1500 GR

Dimensions: 20 x 130 mm

Housing material: Brass

Mounting drill diameter: 15 mm

LED service life: 20.000 hours

Lens angle: 35 degrees

Colour: BLUE & WHITE & GREEN

Recommended spacing: 80 cm - 100 cm

Cable: 2x0,75 Marine cable

lumens: 6750

Usage note: Designed for underwater use only.

COLOURS / OPTIONS

BLUE; WHITE; 12V RGB

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

06



UNDERWATER SERIES

A-3 Midi

Applications: Boat, yacht

Operating voltage: 10-32 V DC

Light source: SMD Power Led

Power: 9 W

Weight: 240 GR

Dimensions: 20 x 60 x 150 mm

Housing material: Polycarbonate

Mounting drill diameter: 10 mm

LED service life: 20.000 hours

Lens angle: 35 degrees

Colour: BLUE & WHITE & GREEN

Recommended spacing: 80 cm - 100 cm

Cable: 2x0,75 Marine cable

lumens: 1500

Usage note: Designed for underwater use only.

COLOURS / OPTIONS

BLUE; WHITE; GREEN

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

07



DİKKATİ BU ÜRÜN YALNIZCA SUALTI İÇİN TASARLANMIŞTIR



UNDERWATER SERIES

Deep Star Fishing Light

Operating voltage: 10-32VDC Usable at depths up to 100 metres Cable length: 50 cm Cable extensions available to the required length

Usage note: Designed for underwater use only.

COLOURS / OPTIONS

GREEN; WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

08



UNDERWATER SERIES

Flasher

Operating voltage: 10-32 V DC

Control: On/off and flash-rate adjustment

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Clear, dependable light for working spaces.

Sealed solutions for service areas, compatible with low-voltage marine systems.

09



ENGINE ROOM

MAK-1 Sealed Luminaire

Applications: General area lighting

Operating voltage: 10-30 V DC

Led: 3030 - Power Led

Power: 20 W

Dimensions: 30 x 36 x 350 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin (WHITE / WARM WHITE)

Light output: 3000 lumens

Frame colour: Matt anodised

Protection rating: IP : 54

COLOURS / OPTIONS

WHITE 6500 Kelvin 3000 lumens; WARM WHITE 3000 Kelvin 2750 lumens

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

10



ENGINE ROOM

MAK-2 Sealed Luminaire | With switch

Applications: General area lighting

Operating voltage: 10-30 V DC

Led: 3030 - Power Led

Power: 20 W

Dimensions: 30 x 36 x 350 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin (WHITE / WARM WHITE)

Light output: 3000 lumens

Frame colour: WHITE

Protection rating: IP : 54

COLOURS / OPTIONS

WHITE 6500 Kelvin 6000 lumens; WARM WHITE 3000 Kelvin 5500 lumens

Lumen values differ between the source description and colour table; confirm when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

11



ENGINE ROOM

MAK-3 Sealed Luminaire

Applications: General area lighting

Operating voltage: 10-30 V DC

Led: 2835 Mid - Power Led

Power: 20 W

Dimensions: 30 x 36 x 500 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin (WHITE / WARM WHITE)

Light output: 3000 lumens

Frame colour: Matt anodised

Protection rating: IP : 54

COLOURS / OPTIONS

WHITE 6500 Kelvin 6000 lumens; WARM WHITE 3000 Kelvin 5500 lumens;
RED; BLUE

Lumen values differ between the source description and colour table; confirm when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

12



ENGINE ROOM

MAK-4 Sealed Luminaire

Applications: General area lighting

Operating voltage: 10-30 V DC

Led: 2835 Mid - Power Led

Power: 20 W

Dimensions: 30 x 36 x 1000 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin (WHITE / WARM WHITE)

Light output: 3000 lumens

Frame colour: Matt anodised

Protection rating: IP : 54

COLOURS / OPTIONS

WHITE 6500 Kelvin 6000 lumens; WARM WHITE 3000 Kelvin 5500 lumens;
RED; BLUE

Lumen values differ between the source description and colour table; confirm when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Clean illumination integrated into the surface.

Flush mounting for a clean ceiling line in cabins, saloons and caravan interiors.

13



RECESSED SPOTLIGHTS

Recessed Spotlight No.1

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Led: 2835 Mid-Power Led

Power: 5 W

Cut-out diameter: 50 mm

Outside diameter: 75 mm

Depth: 21 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin / RED / BLUE

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: WOOD, WHITE, CHROME. Light options: DUAL COLOUR (WARM WHITE-BLUE); WHITE / 6500 Kelvin - 350 lumens; WARM WHITE / 3000 Kelvin - 300 lumens; BLUE; RED

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

14



RECESSED SPOTLIGHTS

Recessed Spotlight No.2

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Led: 2835 Mid-Power Led

Power: 10 W

Cut-out diameter: 75 mm

Outside diameter: 100 mm

Depth: 21 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: WHITE, CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM WHITE / 3000 Kelvin - 600 lumens; RED; BLUE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

15



RECESSED SPOTLIGHTS

Recessed Spotlight ON/OFF No.1

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Led: 2835 Mid-Power Led

Power: 5 W

Cut-out diameter: 50 mm

Outside diameter: 75 mm

Depth: 21 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin / RED / BLUE

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: WOOD, WHITE, CHROME. Light options: WHITE / 6500 Kelvin - 350 lumens; WARM WHITE / 3000 Kelvin - 300 lumens; RED; BLUE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

16



RECESSED SPOTLIGHTS

Recessed Spotlight ON/OFF No.2

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Led: 2835 Mid-Power Led

Power: 10 W

Cut-out diameter: 75 mm

Outside diameter: 100 mm

Depth: 21 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: WHITE, CHROME. Light options: WHITE / 6500 Kelvin - 350 lumens; WARM WHITE / 3000 Kelvin - 300 lumens; RED; BLUE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

A slim profile without a recessed cavity.

Near-surface installation where mounting depth is limited.

17



SURFACE SPOTLIGHTS

Surface Spotlight No.1

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Led: 2835 Mid-Power Led

Power: 5 W

Outside diameter: 75 mm

Depth: 13 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: WHITE, CHROME. Light options: WHITE / 6500 Kelvin - 350 lumens; WARM WHITE / 3000 Kelvin - 300 lumens; RED; BLUE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

18



SURFACE SPOTLIGHTS

Surface Spotlight No.2

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Led: 2835 Mid-Power Led

Power: 10 W

Outside diameter: 100 mm

Depth: 13 mm

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: WHITE, CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM WHITE / 3000 Kelvin - 600 lumens; RED; BLUE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Balanced comfort for living spaces.

Uniform light, a low profile and compatibility with marine electrical systems.

19



DOWNLIGHTS

Luma Downlight

Applications: Boat, yacht, caravan

Operating voltage: 10-30 VDC

Power: 5 W

Outside diameter: 90 mm

Hole diameter: 70 mm

Material: Die-cast aluminium

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM WHITE / 3000 Kelvin - 600 lumens

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

20



DOWNLIGHTS

Luma Vega Downlight

Applications: Boat, yacht, caravan

Operating voltage: 10-30 VDC

Power: 10 W

Outside diameter: 114 mm

Hole diameter: 100 mm

Material: Die-cast aluminium

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM WHITE / 3000 Kelvin - 600 lumens

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

21



DOWNLIGHTS

Quadra Downlight

Applications: Boat, yacht, caravan

Operating voltage: 10-30 VDC

Power: 5 W

Outside diameter: 90 mm

Hole diameter: 70 mm

Material: Die-cast aluminium

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM WHITE / 3000 Kelvin - 600 lumens

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

22



DOWNLIGHTS

Quadra Vega Downlight

Applications: Boat, yacht, caravan

Operating voltage: 10-30 VDC

Power: 10 W

Outside diameter: 114 mm

Hole diameter: 100 mm

Material: Die-cast aluminium

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM WHITE / 3000 Kelvin - 600 lumens

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

23



DOWNLIGHTS

Verolux Spot No.1

Applications: Boat, yacht, caravan

Operating voltage: 10-30 VDC

Power: 1 W

Outside diameter: 46 mm

Hole diameter: 40 mm

Material: Die-cast aluminium

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM

WHITE / 3000 Kelvin - 600 lumens; BLUE; RED

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

24



DOWNLIGHTS

Verolux Spot No.2

Applications: Boat, yacht, caravan

Operating voltage: 10-30 VDC

Power: 6 W

Outside diameter: 90 mm

Hole diameter: 70 mm

Material: Die-cast aluminium

Driver: Integrated driver

Colour temperature: 3000 - 6500 Kelvin

Light output: 120 (LM/W)

Protection rating: IP : 54

COLOURS / OPTIONS

Frame: CHROME. Light options: WHITE / 6500 Kelvin - 650 lumens; WARM

WHITE / 3000 Kelvin - 600 lumens

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



Safe guidance for movement at night.

Low-energy continuous lighting for steps, corridors and passageways.

25



STEP LIGHTS

Step Light No.1

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Power: 1 W

Outside diameter: 50 mm

Height: 12 mm

COLOURS / OPTIONS

Frame: WHITE, CHROME. Light options: WHITE; WARM WHITE; BLUE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

26



STEP LIGHTS

Step Light No.2

Applications: Boat, yacht, caravan

Operating voltage: 10-30 V DC

Power: 1 W

Outside diameter: 50 mm

Height: 12 mm

COLOURS / OPTIONS

Frame: WHITE, CHROME. Light options: WARM WHITE; BLUE; WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

High output for decks and working areas.

Beam-angle and power options for exterior and professional work lighting.

27



FLOODLIGHTS

Spreader Light

Operating voltage: 12-30 V DC

Power: 27W

Dimensions: 110 X 110 x 150 IP67 protection rating 30° beam angle
High-thermal-conductivity aluminium housing; glass-fibre reinforcement specified in source Mounting accessories and chrome screws SMD power LED technology: high lumens per watt and long service life Marine cable resistant to internal and external conditions Manufactured entirely in Türkiye

COLOURS / OPTIONS

WHITE 6500 Kelvin; WARM WHITE 3000 Kelvin; BLUE; RED

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

28



FLOODLIGHTS

Solux 50W | Plastic Bracket

Operating voltage: 12-30 V DC

Power: 50W

Dimensions: 220 x 90 x 75 IP67 protection rating Multi-lens beam angles: 30°, 60° and 90° High-thermal-conductivity aluminium housing; corrosion-resistant glass-fibre-reinforced ABS side covers Mounting accessories and chrome screws SMD power LED technology: high lumens per watt and long service life Marine cable resistant to internal and external conditions Manufactured entirely in Türkiye

COLOURS / OPTIONS

WHITE 6500 Kelvin; WARM WHITE 3000 Kelvin

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

29



FLOODLIGHTS

Solux 50W | Chrome Bracket

Operating voltage: 12-30 V DC

Power: 50W

Dimensions: 220 x 90 x 75 IP67 protection rating Multi-lens beam angles: 30°, 60° and 90° High-thermal-conductivity aluminium housing; corrosion-resistant glass-fibre-reinforced ABS side covers Mounting accessories and chrome screws SMD power LED technology: high lumens per watt and long service life Marine cable resistant to internal and external conditions Manufactured entirely in Türkiye

COLOURS / OPTIONS

WHITE 6500 Kelvin; WARM WHITE 3000 Kelvin

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

30



FLOODLIGHTS

Solux Vega 100W

Operating voltage: 12-30 V DC

Power: 100W

Dimensions: 440 x 90 x 75 IP67 protection rating Multi-lens beam angles: 30°, 60° and 90° High-thermal-conductivity aluminium housing; corrosion-resistant glass-fibre-reinforced ABS side covers Mounting accessories and chrome screws SMD power LED technology: high lumens per watt and long service life Marine cable resistant to internal and external conditions Manufactured entirely in Türkiye

COLOURS / OPTIONS

WHITE 6500 Kelvin; WARM WHITE 3000 Kelvin

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

31



FLOODLIGHTS

Rechargeable LED Floodlight No.1 | 50W

Power: 50W

Dimensions: 220 x 90 x 75 IP67 protection rating Multi-lens beam angles: 30°, 60° and 90° High-thermal-conductivity aluminium housing; corrosion-resistant glass-fibre-reinforced ABS side covers Mounting accessories and chrome screws SMD power LED technology: high lumens per watt and long service life Marine cable resistant to internal and external conditions Manufactured entirely in Türkiye

COLOURS / OPTIONS

WHITE 6500 Kelvin; WARM WHITE 3000 Kelvin

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

32



FLOODLIGHTS

Rechargeable LED Floodlight No.2 | 100W

Power: 100W

Dimensions: 440 x 90 x 75 IP67 protection rating Multi-lens beam angles: 30°, 60° and 90° High-thermal-conductivity aluminium housing; corrosion-resistant glass-fibre-reinforced ABS side covers Mounting accessories and chrome screws SMD power LED technology: high lumens per watt and long service life Marine cable resistant to internal and external conditions Manufactured entirely in Türkiye

COLOURS / OPTIONS

WHITE 6500 Kelvin; WARM WHITE 3000 Kelvin

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



Portable LED Floodlight No.1

Operating voltage: 12-30 V DC

Power: 50W

Dimensions: 220 x 90 x 75 IP67 protection rating Multi-lens beam angles: 30°, 60° and 90° High-thermal-conductivity aluminium housing; corrosion-resistant glass-fibre-reinforced ABS side covers Mounting accessories and chrome screws SMD power LED technology: high lumens per watt and long service life Marine cable resistant to internal and external conditions Manufactured entirely in Türkiye

COLOURS / OPTIONS

WHITE 6500 Kelvin; WARM WHITE 3000 Kelvin

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Natural, functional surfaces for life on board.

Solid tabletops and adjustable table hardware for boat and yacht living spaces.

34



MARINE FURNITURE

Solid Wood Tabletop | Compass

Size: 60 x 60 cm

Material: Natural solid wood

Use: Boats and living spaces

Compatibility: Compatible with chrome table legs

Features: Robust, durable, multipurpose construction

Pattern: Compass

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

35



MARINE FURNITURE

Solid Wood Tabletop | Bodrum

Size: 60 x 60 cm

Material: Natural solid wood

Use: Boats and living spaces

Compatibility: Compatible with chrome table legs

Features: Robust, durable, multipurpose construction

Pattern: Bodrum

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

36



MARINE FURNITURE

Solid Wood Tabletop | Compass and Wave

Size: 60 x 60 cm

Material: Natural solid wood

Use: Boats and living spaces

Compatibility: Compatible with chrome table legs

Features: Robust, durable, multipurpose construction

Pattern: Compass and Wave

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

37



MARINE FURNITURE

Solid Wood Tabletop | Anchor and Helm

Size: 60 x 60 cm

Material: Natural solid wood

Use: Boats and living spaces

Compatibility: Compatible with chrome table legs

Features: Robust, durable, multipurpose construction

Pattern: Anchor and Helm

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

38



MARINE FURNITURE

Solid Wood Tabletop | Sailboat

Size: 60 x 60 cm

Material: Natural solid wood

Use: Boats and living spaces

Compatibility: Compatible with chrome table legs

Features: Robust, durable, multipurpose construction

Pattern: Sailboat

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

39



MARINE FURNITURE

Solid Wood Tabletop | Anchor

Size: 60 x 60 cm

Material: Natural solid wood

Use: Boats and living spaces

Compatibility: Compatible with chrome table legs

Features: Robust, durable, multipurpose construction

Pattern: Anchor

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

40



MARINE FURNITURE

Solid Wood Tabletop | Anchor and Rope

Size: 60 x 60 cm**Material:** Natural solid wood**Use:** Boats and living spaces**Compatibility:** Compatible with chrome table legs**Features:** Robust, durable, multipurpose construction**Pattern:** Anchor and Rope

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

41



MARINE FURNITURE

Solid Wood Tabletop | Mermaid

Size: 60 x 60 cm**Material:** Natural solid wood**Use:** Boats and living spaces**Compatibility:** Compatible with chrome table legs**Features:** Robust, durable, multipurpose construction**Pattern:** Mermaid

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

42



MARINE FURNITURE

Solid Wood Tabletop | Ship

Size: 60 x 60 cm

Material: Natural solid wood

Use: Boats and living spaces

Compatibility: Compatible with chrome table legs

Features: Robust, durable, multipurpose construction

Pattern: Ship

COLOURS / OPTIONS

60 x 60 cm size option. Confirm pattern and dimensions when ordering.

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

43



MARINE FURNITURE

3-Position Chrome Table Leg

Material / finish: CHROME

Adjustment: Three height positions


Use: Indoor and outdoor

Features: Gloss finish; durable construction; easy cleaning

Compatibility: Height adjustment to suit use and ergonomics

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

44



MARINE FURNITURE

Solid Wood Tabletop | 80 x 52 cm

Size: 80 x 52 cm

Material: Wood with varnished finish

Use: Indoor and outdoor

Cup holders: Corners suitable for chrome cup holders

Not included: Metal cup holders

Care: Easy cleaning with a damp cloth


Features: Durable and versatile use

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

G4 LED Boards

Product options and detailed technical information for boats and living spaces.

45



G4 LED BOARDS

Papatya G4 | Side pin connection

Connection: Side pin connection

Operating voltage: 10-30 V


Product: LED lamp / G4 LED PCB

COLOURS / OPTIONS

WHITE; WARM WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

46



G4 LED BOARDS

Papatya G4 | Centre pin connection

Connection: Centre pin connection

Operating voltage: 10-30 V


Product: LED lamp / G4 LED PCB

COLOURS / OPTIONS

WHITE; WARM WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

47



G4 LED BOARDS

Papatya G4 | 24 V | Round

Operating voltage: 24-40 V AC-DC

Connection: Side pin connection

Control: Dimmable

Product: LED lamp / G4 LED PCB

COLOURS / OPTIONS

WHITE; WARM WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

48



G4 LED BOARDS

Papatya G4 | 24 V | Long

Operating voltage: 24-40 V AC-DC

Connection: Side pin connection

Control: Dimmable


Product: LED lamp / G4 LED PCB

COLOURS / OPTIONS

WHITE; WARM WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

49



G4 LED BOARDS

Papatya G4 | 24-40 V | Round

Operating voltage: 24-40 V AC-DC

Connection: Side pin connection

Control: Dimmable

Product: LED lamp / G4 LED PCB

COLOURS / OPTIONS

WHITE; WARM WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

50



G4 LED BOARDS

Papatya G4 | 24-40 V | Long

Operating voltage: 24-40 V AC-DC

Connection: Side pin connection

Control: Dimmable

Product: LED lamp / G4 LED PCB

COLOURS / OPTIONS

WHITE; WARM WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Control and Electronics

Product options and detailed technical information for boats and living spaces.

51



CONTROL AND ELECTRONICS

S-2001 | Without sensor Chain Counter

Operating voltage: 12 V

Type: Without sensor

Package: Chain-counter body, mounting bracket, bracket screw, installation and user guide

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

52



CONTROL AND ELECTRONICS

S-2002 | With sensor Chain Counter


Operating voltage: 12 V

Type: With sensor

Package: Chain-counter body, mounting bracket, bracket screw, sensor, magnet, 8 mm and 10 mm plastic sensor mounts, installation and user guide

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

53



CONTROL AND ELECTRONICS

S-2003 | Counter Sensor

Operating voltage: 12 V

Type: Sensor

Package: 8 mm and 10 mm plastic sensor mounts, installation and user guide

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

54



CONTROL AND ELECTRONICS

S-2011 | Windlass Button

Operating voltage: 12 V

Use: Windlass button

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

55



CONTROL AND ELECTRONICS

MB-100 Battery Combiner

Product: Battery combiner

Alternator voltage: Maximum 18,2 V

Continuous current: 100 A (60 min)

Maximum current: 120 A (4 min)

Enter parallel mode: 13 V; 5 seconds

Exit parallel mode: 12,5 V; 4 seconds

Indicator: Red LED flash at transitions

Protection: IP68; spark-proof

Use: Explosive atmospheres and engine compartment

Operating temperature: -25 °C to +60 °C

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

56



CONTROL AND ELECTRONICS

Livewell timer

Operating voltage: 12 V

Current: 10 A

Product: Livewell timer

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Plastic Fittings

Product options and detailed technical information for boats and living spaces.

5 PRODUCTS / MODEL VARIANTS

57



PLASTIC FITTINGS

P-5011 P | Bilge Outlet

Type: 3/4 bilge outlet, straight
Size: 19 mm
Colour: WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

58



PLASTIC FITTINGS

P-5013 K | Bilge Outlet

Type: 3/4 bilge outlet, straight
Size: 19 mm
Colour: CHROME

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



PLASTIC FITTINGS

P-5012 P | Bilge Outlet

Type: 3/4 bilge outlet, straight
Size: 25 mm
Colour: WHITE

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



PLASTIC FITTINGS

P-5014 K | Bilge Outlet

Type: 3/4 bilge outlet, straight
Size: 25 mm
Colour: CHROME

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

61



PLASTIC FITTINGS

P-05001 PK | Plastic Flange

Material: Plastic + rubber
Use: Fuel and water level float

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Hobs

Product options and detailed technical information for boats and living spaces.

7 PRODUCTS / MODEL VARIANTS

62



HOBS

MBL-3453 | Oval Twin-Burner Hob and Sink

Material: 304 stainless steel
Fuel: LPG
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

63



HOBS

MBL-3402 | Single-Burner Combination Hob

Material: 304 stainless steel
Fuel: LPG
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



HOBS

MBL-3499 | Rectangular Twin-Burner Hob

Material: 304 stainless steel
Fuel: LPG
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE




HOBS

MBL-3450 | Rectangular Twin-Burner Hob

Material: 304 stainless steel
Fuel: LPG
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

66



HOBS

MBL-3477 | Built-in Twin-Burner Hob

Material: 304 stainless steel
Fuel: LPG
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

67



HOBS

MBL-3443 | Built-in Single-Burner Hob

Material: 304 stainless steel
Fuel: LPG
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



MBL-3442 | Round Built-in Single-Burner Hob

Material: 304 stainless steel
Fuel: LPG
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Sinks and Taps

Product options and detailed technical information for boats and living spaces.

11 PRODUCTS / MODEL VARIANTS




SINKS AND TAPS

MBL-3432 | Round Sink with Glass Lid

Material: 304 stainless steel
Type: Round Sink with Glass Lid
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE




SINKS AND TAPS

MBL-3429 | Round Sink

Material: 304 stainless steel
Dimensions (as in source): 29; H:15
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE




SINKS AND TAPS

MBL-3466 | Round Sink

Material: 304 stainless steel
Dimensions (as in source): 26; H:12
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE




SINKS AND TAPS

MBL-3425 | Round Sink

Material: 304 stainless steel
Dimensions (as in source): 25,5; H:13
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



SINKS AND TAPS

MBL-3421 | Round Sink

Material: 304 stainless steel
Dimensions (as in source): 20; H:8
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



SINKS AND TAPS

MBL-3426 | Square Sink with Glass Lid

Material: 304 stainless steel
Dimensions (as in source): 35,5 x 32,5 x 15
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



SINKS AND TAPS

MBL-3427 | Square Sink with Glass Lid

Material: 304 stainless steel
Dimensions (as in source): 35,5 x 32,5 x 10
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



SINKS AND TAPS

MBL-3476 | Square Sink

Material: 304 stainless steel
Dimensions (as in source): 26,5 x 32,5 x 10
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



SINKS AND TAPS

MBL-3478 | Square Sink

Material: 304 stainless steel
Dimensions (as in source): 26,5 x 32,5 x 15
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



SINKS AND TAPS

MBL-3410 | Folding Tap

Material: 304 stainless steel
Water connection: Cold
Construction: Folding
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE



SINKS AND TAPS

MBL-3411 | Folding Tap

Material: 304 stainless steel
Water connection: Hot / cold
Construction: Folding
Warranty: 2 years
Spare parts availability: 5 years

SCAN QR FOR PRODUCT DETAILS AND A QUOTE

Let us specify the right product together.

Share the vessel size, installation area, operating voltage and desired lighting effect. Ask our team for a quotation for a standard or project-specific product.



Quotation and technical consultation

info@moblighsmarine.com

+90 543 481 25 57

Beylikdüzü · İstanbul · Türkiye

moblighsmarine.com